Ref #	Hits	Search Query	DBs	Default Operator	Plurats	Time Stamp
LI	i	"6839819".pn. and (stor\$4 near3 MIM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 09:32
Sı	114	(restor\$4 or recover\$4) same (interactiv\$4 or iterativ\$4) same (journal\$3 or log or logging or delta)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 16:14
S2	. 3	S1 same journal same (pior or before) same after	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 15:49
S 3	40112	(save or journal or log) same prior	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 16:15
54	13438	(save or journal or log) same prior same journal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TD8	OR	ON	2005/12/12 16:15
S5	7243	before same after same (journal or log)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 16:16
5 6	339	S5 and snapshot	US-PGPUB; US-PAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 16:20
57	51	S6 and iterative	US-PGPUB; USPAT; EPO; JPO; DERWENT;	OR	ON	2005/12/12 15:16
S8	69	S5 same snapshot	IBM_TDB US-PGPUB; USPAT; EPO; JPO; DERWENT;	OR	ON	2005/12/12 16:25
59	16	S8 same (restore or recover)	US-PGPUB; USPAT; EPO; JPO; DERWENT;	OR	ON	2005/12/12 16:20
S10	53	S8 not S9	IBM_TDB US-PGPU8; USPAT; EPO; JPO; DERWENT;	OR	ON	2005/12/12 16:25
\$11	52	S10 not 57	IBM_TDB US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 16:39
S12	462	(journal near3 before) and (journal nera3 after)	IBM_TDB US-PGPUB; USPAT; EPO; JPO; DERWENT;	OR	ON	2005/12/12 16:39
S13	462	(journal near3 before) same (journal nera3 after)	IBM_TDB US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 16:40
S14	27	(journal near3 before) same (journal nera3 after) same write	US-PGPUB; USPAT; EPO; JPO; DERWENT;		ON	2005/12/12 16:52
S15	1	journal near3 (prior or before) near3 ((change or edit or preced\$4) same journal near3 (after) same journal)	IBM_TDB US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB		ON	2005/12/12 17:00
S16	1	journal near3 (prior or before) near3 ((change or edit or preced\$4) and journal near3 (after) same journal)	US-PGPUB; USPAT; EPO; JPO; DERWENT;		ON	2005/12/12 17:00
517	1	(journal or log) near3 (prior or before) near3 ((change or edit or preced\$4) same (journal or log) near3 (after) same (journal or log))	IBM_TDB US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB		ON	2005/12/13 15:00
S18	0	(creat near3 journal) same (before near3 (edit or update)) same (after near3 (edit or update)) .	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB		ON	2005/12/12 17:01
S19	0	(create near3 journal) same (before near3 (edit or update)) same (after near3 (edit or update))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB		ON	2005/12/12 17:02

520	7	(create near3 journal) and (before near3 (edit or update)) and (after near3 (edit or update))	US-PGPUB; USPAT; EPO; JPO; DERWENT;	OR	ON	2005/12/13 14:50
S21	117	journal same data same (prior or before) same before same write	US-PGPUB; US-PGPUB; USPAT; EPO; JPO; DERWENT;	OR	ON	2005/12/13 14:51
S22	233	journal same original near3 data	IBM_TDB US-PGPUB; USPAT; EPO; JPO;	OR	ON	2005/12/13 15:00
523	41	journal near8 (original near3 data)	DERWENT; IBM_TDB US-PGPUB; USPAT; EPO; JPO;	OR	ON	2005/12/14 10:01
524	94	(journal near3 reads) and (journal near3 writes)	DERWENT; IBM_TDB US-PGPUB; USPAT;	OR	ON	2005/12/14 10:02
\$25	54	(journal near3 reads) same (journal near3 writes)	EPO; JPO; DERWENT; IBM_TDB US-PGPUB; USPAT;	OR	ON	2005/12/14 10:03
S26	0	journal same orginal same prior same update	EPO; JPO; DERWENT; IBM_TDB US-PGPUB;	OR	ON	2005/12/14 10:04
			USPAT; EPO; JPO; DERWENT; IBM_TDB US-PGPUB;	OR	ON	2005/12/14 10:04
\$27	0	journal same orginal same before same update	USPAT; EPO; JPO; DERWENT; IBM_TDB			
S28	0	journal same orginal same before same recovery	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 10:04
529	0	journal same orginal same before same restore	US-PGPUB; USPAT; EPO; JPO; DERWENT;	OR	ON	2005/12/14 10:04
S30	13176	(journal or log or delta) same (store or save or record or track or keep) same (original or earl\$4 or first or initial or maiden or pioneer or primary or prime or primordial)	US-PGPUB; US-PGPUB; USPAT; EPO; JPO; DERWENT;	OR	ON	2005/12/14 16:59
S31	1968	(journal or log or delta) same (store or save or record or track or keep) same (original or earl\$4 or first or initial or maiden or pioneer or primary or prime or primordial) same (target ajd location)	US-PGPUB; US-PGPUB; USPAT; EPO; JPO; DERWENT;	OR	ON	2005/12/14 16:59
\$32	4	S31 and (journal near10 (target adj location))	IBM_TDB US-PGPUB; USPAT; EPO; JPO;	OR ·	ON	2005/12/14 17:05
533	17	save same (current ajd state) same before same journal	DERWENT; IBM_TDB US-PGPUB; USPAT; EPO; JPO;	OR	ON	2005/12/15 11:33
534	514	save same (current ajd state) same before same (restore)	DERWENT; IBM_TDB US-PGPUB; USPAT; EPO; JPO;	OR	ON	2005/12/14 17:06
\$35	28	appi\$4 same journal same snapshot	DERWENT; IBM_TDB US-PGPUB; USPAT;	OR	ON	2005/12/15 13:31
S36	2	"6839819".pn.	EPO; JPO; DERWENT; IBM_TDB US-PGPUB; USPAT;	OR	ON	2005/12/15 13:36
S37	2	*20030135704*.pn.	EPO; JPO; DERWENT; IBM_TDB US-PGPUB; USPAT;	OR	ON	2005/12/15 13:32
538	2	"6839819".pn.	EPO; JPO; DERWENT; IBM_TDB US-PGPUB;	OR	ON	2005/12/15 13:37
			USPAT; EPO; JPO; DERWENT; IBM_TDB US-PGPUB;	OR	ON	2005/12/15 14:15
539	2	"6732125".pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB		V "	

2	"20040133575".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT;	OR	ON	2005/12/15 15:03
2	"6158019".pn.	US-PGPUB; USPAT; EPO; JPO;	OR	ON	2005/12/15 15:03
0	"6158019".pn. and "5086502.pn"	IBM_TDB US-PGPUB; USPAT; EPO; JPO;	OR	ON	2005/12/15 15:03
2	"6158019".pn. or "5086502.pn"	IBM_TDB US-PGPUB; USPAT;	OR	ON	2005/12/15 15:04
2	"6158019".pn. or "5086502.pn."	DERWENT; IBM_TDB US-PGPUB; USPAT;	OR	ON	2005/12/15 15:04
0	"5086502.pn."	DERWENT; IBM_TDB US-PGPUB;	OR	ON	2005/12/15 16:22
0	. (select near3 journal) same (updat\$4 or appi\$4 or merp\$4) near3 (snapshot or (data adj image))	EPO; JPO; DERWENT; IBM_TD8 US-PGPUB;	OR	ON	2005/12/15 16:23
		USPAT; EPO; JPO; DERWENT; IBM_TDB			
0	(select near3 journal) same ((updat\$4 or appl\$4 or merg\$4) near3 (snapshot or (data adj image)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 16:23
0	(choose near3 journal) same ((updat\$4 or appl\$4 or merg\$4) near3 (snapshot or (data adj image)))	US-PGPUB; USPAT; EPO; JPO; DERWENT;	OR	ON	2005/12/15 16:23
7	((choos\$4 or select\$4) near3 (journal or log or delta)) same ((updat\$4 or appl\$4 or merg\$4) near3 (snapshot or (data adj image)))	US-PGPUB; USPAT; EPO; JPO;	OR	ON	2005/12/15 16:25
45	((choos\$4 or select\$4) near3 (journal or log or delta)) and ((updat\$4 or appl\$4 or merg\$4) near3 (snapshot or (data adj image)))	IBM_TDB US-PGPUB; USPAT; EPO; JPO;	OR	ON -	2005/12/15 16:33
694	(user or client) near3 (select or choose or pick) near3 (journal or log or delta)	IBM_TDB US-PGPUB; USPAT;	OR	ON	2005/12/15 16:34
31	S51 and snapshot	DERWENT; IBM_TDB US-PGPUB; USPAT;	OR	ON	2005/12/15 16:34
31	S52 not S50	DERWENT; IBM_TDB US-PGPUB; USPAT;	OR	ON	2005/12/15 16:35
1	(rollback or restore or recover) same journal same (previous near3 entry)	EPO; JPO; DERWENT; IBM_TDB US-PGPUB;	OR	ON	2005/12/15 16:36
	(millback or rectors or recover) same (found or los or delta) same (grevious paga entry)	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 16:36
5	(rollback or recurse of recurser) sallise (Douthal or by or delia) sallise (previous reads citoy)	USPAT; EPO; JPO; DERWENT; IBM_TDB			
2	"6839819".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 11:27
1	S56 and extents	US-PGPUB; USPAT; EPO; JPO; DERWENT;	OR	ON	2005/12/16 12:29
2	"6839819".pn.	US-PGPUB; USPAT; EPO; JPO;	ŀ	ON	2005/12/16 12:29
1	SS8 and (backward near3 stor\$4)	IBM_TDB US-PGPUB; USPAT; EPO; JPO;	OR	ON	2005/12/16 14:45
	2 2 0 0 0 0 0 0 0 0 0 0 1 1 1 5 2 2 1 1 2 2	2 16156019" pm. and "5086502 pm" 2 16156019" pm. or "5086502 pm" 3 16156019" pm. or "5086502 p	1997	USATION CONTROL CONT	2 *1535019" ps., and *7585552 ps." 3 *1535019" ps., and *7585552 ps." 4 *1535019" ps., and *7585552 ps." 5 *1555019" ps., and *7585552 ps.* 5 *1555019" ps., and *7585552

CCO	- 1	FC020918*	US-PGPUB;	OR	ON	2005/12/16 14:45
S60	2	~6839819**,pn.	USPAT; EPO; JPO; DERWENT; IBM_TD8	OK .	ON	2003/12/10 14:45
S61	1	S60 and (request\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT;	OR	ON	2005/12/16 15:12
562	2	S60 and (time)	US-PGPUB; USPAT; EPO; JPO;	OR	ON	2005/12/16 15:14
S63	0	(S60 and (time)) same user	DERWENT; IBM_TDB US-PGPUB; USPAT; EPO; JPO;	OR	ON	2005/12/16 15:14
S64	0	(S60 and (time)) same dient	DERWENT; IBM_TDB US-PGPUB; USPAT;	OR	ON	2005/12/16 15:14
565	0	(S60 and (time)) same request	EPO; JPO; DERWENT; IBM_TDB US-PGPUB;	OR	ON	2005/12/16 15:17
		CCO and abuse admired	USPAT; EPO; JPO; DERWENT; IBM_TDB US-PGPUB;	OR	ON	2005/12/16 15:18
S66	1	S60 and chronological	USPAT; EPO; JPO; DERWENT; IBM_TDB			,, 10 13,10
S67	1	S60 and chrono\$15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/16 15:31
568	1	appl\$3 near3 journal near3 entr\$3 near3 ((chrono\$10 or (increas\$4 near3 order near3 time)))-	US-PGPUB; USPAT; EPO; JPO; DERWENT;	OR	ON	2005/12/16 15:32
\$69	9	journal near3 entr\$3 near3 ((chrono\$10 or (increas\$4 near3 order near3 time))) .	US-PGPUB; US-PGPUB; USPAT; EPO; JPO; DERWENT;	OR	ON	2005/12/16 15:33
S70	697	indicat\$4 same (recov\$4 or restor\$4) same mode same user	US-PGPUB; US-PGPUB; USPAT; EPO; JPO;	OR	ON	2005/12/17 17:11
571	321	S70 same time	DERWENT; IBM_TDB US-PGPUB; USPAT;	OR	ON	2005/12/17 17:10
572	17	S71 and journal	EPO; JPO; DERWENT; IBM_TDB US-PGPUB; USPAT;	OR	ON	2005/12/17 17:11
S73	43	S71 and log	EPO; JPO; DERWENT; IBM_TDB US-PGPUB;	OR	ON	2005/12/17 17:09
			USPAT; EPO; JPO; DERWENT; IBM_TDB US-PGPUB;	OR	011	2005/32/17 17:11
S74	3	S70 same time same journal	USPAT; USPAT; EPO; JPO; DERWENT; IBM_TDB		ON	2005/12/17 17:11
\$75	1833	indicat\$4 same (recov\$4 or restor\$4) same user same time	US-PGPU8; USPAT; EPO; JPO; DERWENT; IBM_TDB		ON	2005/12/17 17:11
576	144	S75 and journal	US-PGPUB; USPAT; EPO; JPO; DERWENT;		ON	2005/12/17 17:14
S77	1	"20040193945" and indicat\$4 same (recov\$4 or restor\$4) same user same time	IBM_TDB US-PGPUB; USPAT; EPO; JPO; DERWENT;		ON	2005/12/17 17:31
S78	7	interface same (recov\$4 or restor\$4) same user same time same journal	IBM_TD8 US-PGPUB; USPAT; EPO; JPO;	OR	ON	2005/12/17 17:32
579	422	(interface same (recov\$4 or restor\$4) same user same time) and (journal or log)	DERWENT; IBM_TDB US-PGPUB; USPAT; EPO; JPO;		ON	2005/12/17 17:32
			DERWENT; IBM_TDB			

580	64		US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/17 17:36
S81	0	(*2004/0193945*).URPN.	USPAT	OR	OFF	2005/12/17 17:33
582	28	(interface same select same (recov\$4 or restor\$4) same user same time same (journal or log))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/17 17:37
S83	1307		US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/17 17:39
584	276	,	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/17 17:46
\$85	12		US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/17 17:47
S86	0	GUI same select\$4 same (restor\$4 or recov\$4) same journal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/17 17:47
\$87	518	select\$4 same (restor\$4 or recov\$4) same journal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/17 17:47
S88	31	select\$4 same (restor\$4 or recov\$4) same journal same user	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2005/12/17 17:49
S89	331	(select\$4 same journal same user) and (restor\$4 or recov\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/17 17:50
590	8	(select\$4 same journal same user) and ((restor\$4 or recov\$4) near3 mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/17 17:51
S91	2	(select\$4 same journal same user) and ((restor\$4 or recov\$4) near3 type)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/17 17:52
S92	2	"6839819".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/17 17:53
S93	1	"6839819".pn. and (user or client)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TD8	OR	ON	2005/12/17 18:03
S94	2		US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 09:32